



Depression after SCI

Depression is a serious medical illness that involves the brain. It's more than just a feeling of being "down in the dumps" or "blue" for a few days. If you are one of the more than 20 million people in the United States who have depression, the feelings do not go away. They persist and interfere with your everyday life. Symptoms can include:

- Sadness
- Loss of interest or pleasure in activities you used to enjoy
- Change in weight
- Difficulty sleeping or oversleeping
- Energy loss
- Feelings of worthlessness
- Thoughts of death or suicide

Depression can run in families, and usually starts between the ages of 15 and 30. It is much more common in women.

There are effective treatments for depression, including antidepressants and talk therapy. Most people do best by using both.

Source: MedlinePlus <http://www.nlm.nih.gov/medlineplus/depression.html>

Resources related to SCI and Depression

Christopher & Dana Reeve Foundation: Women's Mental Health After Paralysis

<https://www.ChristopherReeve.org/booklets>

A free 44-page booklet on various topics related to women's mental health after SCI and paralysis, it includes a section on depression. Please call 1-800-539-7309 for a free print copy.

Model Systems Knowledge Translation Center: Depression and Spinal Cord Injury

<http://www.msktc.org/sci/factsheets/depression-and-spinal-cord-injury>

MSKTC is a national center that works to put research into practice to serve the needs of people with traumatic brain injuries, spinal cord injuries, and burn injuries.

Northwest Regional Spinal Cord Injury System: Depression and Spinal Cord Injury

http://sci.washington.edu/info/pamphlets/depression_sci.asp

This pamphlet, which can be downloaded as a PDF, addresses symptoms of depression, treatment with antidepressants and/or counseling. It also has a self-test.

Northwest Regional Spinal Cord Injury System: “Landmark Study of Depression in SCI”

http://sci.washington.edu/info/newsletters/articles/07_win_depression.asp

This article from the Winter 2007 edition of *Spinal Cord Injury Update* announces a 5-year research study examining the treatment of depression in people with SCI.

Paralyzed Veterans of America

www.pva.org has a clinical practice guideline for health care workers titled **Management of Mental Health Disorders, Substance Use Disorders, and Suicide in Adults with Spinal Cord Injury**.

Spinal Cord Injury Information Network: Depression

<http://www.uab.edu/medicine/sci/daily-living/managing-personal-health/secondary-medical-conditions/depression>

This page has links to resources related to depression among people with spinal cord injury.

Spinal Cord Injury Information Network: Adjustment to Spinal Cord Injury

<http://www.uab.edu/medicine/sci/daily-living/adjustment>

This page discusses problems individuals and family members often have in adjusting to spinal cord injury and has advice for healthy adjustment.

University of Washington: How to Cope with Depression Fact Sheet

<http://agerrtc.washington.edu/info/factsheets/depression>

General Resources on Depression

American Psychological Association: Depression

<http://www.apa.org/topics/depress/index.aspx>

Depression and Bipolar Support Alliance (DBSA)

www.dbsalliance.org

500 W. Madison St., Suite 1000

Chicago, IL 60661

Phone: 312-642-0049

Toll-free: 1-800-826-3632

DBSA offers a support group locator.

International Foundation for Research and Education on Depression (iFred)

<http://www.ifred.org>

P.O. Box 17598

Baltimore, MD 21297-1598

E-mail: info@ifred.org

iFred aims to shed a positive light on depression throughout the world in order to prevent onset, research causes and treatments, and eradicate stigma.

National Institute on Aging: Depression and Older Adults

<https://www.nia.nih.gov/health/depression-and-older-adults>

National Institute of Mental Health (NIMH): NIMH Pages About Depression

<http://www.nimh.nih.gov/topics/topic-page-depression.shtml>

This page has links to NIMH's resources on depression, including information on symptoms, treatment, and research. There are also links to publications about depression, scientific news, and blog posts.

National Suicide Prevention Lifeline

1-800-273-8255 (toll-free/24 hours a day)

1-800-799-4889 (TTY/toll-free)

Internet Forums

NeuroTalk Support Groups

<https://www.neurotalk.org/depression/>

The information contained in this message is presented for the purpose of educating and informing you about paralysis and its effects. Nothing contained in this message should be construed nor is intended to be used for medical diagnosis or treatment. It should not be used in place of the advice of your physician or other qualified health care provider. Should you have any health care related questions, please call or see your physician or other qualified health care provider promptly. Always consult with your physician or other qualified health care provider before embarking on a new treatment, diet or fitness program. You should never disregard medical advice or delay in seeking it because of something you have read in this message.

This publication is supported by the Administration for Community Living (ACL), U.S. Department of Health and Human Services (HHS) as part of a financial assistance award totaling \$10,000,000 with 100 percent funding by ACL/HHS. The contents are those of the author(s) and do not necessarily represent the official views of, nor an endorsement, by ACL/HHS, or the U.S. Government.